


Product Spec. Sheet














Robot Serials- 1 Monitor 2 Joint Spring Arm


Grommet Type Monitor Arm

EM25031



Product Name	Robot Serials- 1 Monitor 2 Joint Spring Arm
Model Number (color)	EM25031 (Silver Grey)
Product Includes	Spring Arm, extension Swivel Arm ,Grommet Desk Monitor Base, Monitor Bracket
Attachment Options	 Lock for Security
Product Dimension	White Box: L252*W136*H429MM N. W.: 3.3 KG
Units per Master Carton	4 Pcs
Shipping Master Carton Dimension	L564*W442*H272MM
Shipping Weight	N.W.:13.2Kg G.W.:14.2Kg
Units per Pallet	112 Pcs
Warranty	14 Months
Weight Capacity	$\leq 2\text{Kg}-9\text{Kg}$ (4.4-19.8lbs) almost any VESA compliant monitor up to $\leq 30''$
Country of Origin	Taiwan

Features	<ol style="list-style-type: none"> 1. Elegant, Stylish and Ergonomic design with high performance 2. Wide Angle and height range for comfortable view position. 3. Swift Movement with easy adjustment. 4. 3 quick mode release function as Pivot stand, Swivel or Spring Arm. 5. Easily do install and dismount. 6. Aluminum alloy and metal material, strong and safety. 7. Internal cable management routed cables neatly under arm. 8. Space saving. 9. Quick release cable management design with no tools require for height adjustment on pole. 10. VESA MIS-D 75x75/100x100mm
Tech Specs	<div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  VESA 0mm </div> <div style="text-align: center;">  LIFT 0mm </div> <div style="text-align: center;">  ANGLE 100° </div> <div style="text-align: center;">  PIVOT 360° </div> <div style="text-align: center;">  SWIVEL 360° </div> <div style="text-align: center;">  PAN 240° </div> <div style="text-align: center;">  TILT 105° </div> <div style="text-align: center;">  EXTENSIO 590mm </div> <div style="text-align: center;">  VERTICAL 270mm </div> <div style="text-align: center;">  Wt.Load ≤ 2~9Kg </div> </div> <div style="text-align: center; margin-top: 10px;">  </div>
Drawing	<div style="text-align: center;">   </div> <p style="text-align: center; margin-top: 20px;">EM25031 Product Line Drawing, Unit:mm</p>




1 Installation Method of Mount Type (夾座安裝方法)

Wall Mount(壁掛型)

Concrete(水泥壁)





Wood(木質牆)




Grommet(穿桌型)



2 in 1 for C-Clamp (二合一型)




2 Install Arms (安裝支架)



Use M3 wrench to tighten or loosen swing feeling.
(用M3六角扳手放鬆或放鬆旋轉的感覺)

Start
開始




Pull out the grip to release tension and decide location of quick release cable manager.
(拉開快速釋放線理手把，調整線理位置與需要之鬆緊度，讓線理可上下移動。)

Adjust quick release cable manager based on actual needs.
(依需求移動線理位置。)


Tighten the quick release cable manager on the pole when determined.
(確定位置後，將線理固定於桿上。)

Place wrench into the hole to prevent the loss of tool.
(把六角扳手放在插孔裡，避免遺失)



Use M3 wrench to tighten or loosen swing feeling.
(用M3六角扳手放鬆或放鬆旋轉的感覺)



3 Install Monitors (安裝螢幕)




● To Increase Loading—Turn counter-clockwise (逆時針旋轉增加荷重)
- To Decrease Loading—Turn clockwise (順時針旋轉減低荷重)



● If monitor does not stay in place or movement is stiff, please use wrench to increase or decrease tension until motion is equal. (調整螢幕的角或仰角時，如感覺太緊或太鬆，請使用M3六角板手調整。)

4 Route Cables (理線)



保固條款 (Scope of Guarantee)

- 客戶滿意是我們努力追求的目標，為維持提供客戶最完善的售後服務及關於消費者的權利，請仔細閱讀說明書內的資訊。
- 為提高服務效率，請在維修保固及換貨時提供購買發票或本保證書。
- 在購買商品時，請務必須認明貨品及並加蓋店章，如有記載遺漏，會造成在保固期限內無法免費維修。
- 如超過保固期，消費者必須負擔零件及維修服務費。
- 請按說明書內之規格限制，正常使用本產品，如使用者使用超過產品規格之承受重量，造成產品受損故障，雖在保固期內，將不負責維修或消費者必須負擔零件及維修服務費。

Warning:
Please lift arm up to highest position while removing the monitor. The monitor arm could bounce upward to cause personal injury when the weight of monitor is removed.
卸下螢幕時，請將支架移到最上端，因為維持平衡的螢幕重量被移除時，支架會反彈，可能會造成傷害。

Supplied Parts and Hardwares (包裝內部品及五金件)

Model 型號	EM22114	EM22131	EM22136	EM23114	EM23131	EM23136	EM23214	EM23231	EM23236	EM24031	EM24114	EM24131	EM24136	EM25031	EM25036	EM25114	EM25131	EM25136	EM25201	EM25214	EM25231	EM25236
Parts 零件																						
Wall Mount (牆座)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2 in 1 service kit (組合)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Grommet (穿桌夾座)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
M6 Wrench (M6六角板手)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
M3 Wrench (M3六角板手)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EVA Cushion (軟墊)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Spring Arm (懸臂)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Swivel Arm (延伸臂)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Monitor Mount (螢幕固定座)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hand Screw x4 (手螺絲 x4)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Quick Release Cable Manager (快速理線器)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dual Stand (雙支架)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Features and Specification (功能特性)

										
	VESA	LIFT	ANGLE	PIVOT	SWIVEL	PAN	TILT	EXTENSION	VERTICAL	Wt.Load
EM22114	M30 (75x75/100x100)		0°	360°	180°	360°	105°	260mm	0mm	≤14kg
EM22131		200mm	0°	360°	360°	360°	105°	260mm	0mm	≤14kg
EM22136		200mm	0°	360°	360°	360°	105°	260mm	0mm	≤14kg
EM23114		0mm	0°	360°	360°	360°	105°	520mm	0mm	≤14kg
EM23131		200mm	0°	360°	360°	360°	105°	520mm	0mm	≤14kg
EM23136		200mm	0°	360°	360°	360°	105°	520mm	0mm	≤14kg
EM23214		0mm	0°	360°	360°	360°	105°	520mm	0mm	≤30kg
EM23231		160mm	0°	360°	360°	360°	105°	520mm	0mm	Each Arm≤5kg Full max Loading ≤20kg
EM23236		160mm	0°	360°	360°	360°	105°	520mm	0mm	
EM24031		0mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM24036		0mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM24114		0mm	100°	360°	180°	240°	105°	330mm	270mm	2~9kg
EM24131		200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM24136		200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM25031		0mm	100°	360°	360°	240°	105°	590mm	270mm	2~9kg
EM25036		0mm	100°	360°	360°	240°	105°	590mm	270mm	2~9kg
EM25114	0mm	100°	360°	360°	240°	105°	590mm	270mm	2~9kg	
EM25131	200mm	100°	360°	360°	240°	105°	590mm	270mm	2~9kg	
EM25136	200mm	100°	360°	360°	240°	105°	590mm	270mm	2~9kg	
EM25201	0mm	100°	360°	360°	240°	105°	590mm	270mm		
EM25206	0mm	100°	360°	360°	240°	105°	590mm	270mm		
EM25214	0mm	100°	360°	360°	240°	105°	590mm	270mm	Each Arm≤5kg Full max Loading ≤20kg	
EM25231	160mm	100°	360°	360°	240°	105°	590mm	270mm		
EM25236	160mm	100°	360°	360°	240°	105°	590mm	270mm		